




# Replaces Exmark Quest Drive Series

## Parts

48in Rotary Mower  
Caster Wheel



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Exmark Quest Drive Series Parts

48in Rotary Mower  
Caster Wheel



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Tires

|    |            |                                    |                                                 |   |  |
|----|------------|------------------------------------|-------------------------------------------------|---|--|
| 30 | RCT5121861 | 1-523009,<br>125-5581,<br>126-5959 | Tire - 13x6.50-6 Nhs (4 Ply)<br>Carlisle Smooth | 2 |  |
|----|------------|------------------------------------|-------------------------------------------------|---|--|

|    |           |                                                 |                                                                                    |   |  |
|----|-----------|-------------------------------------------------|------------------------------------------------------------------------------------|---|--|
| 31 | RTMT41011 | 109-9127,<br>117-0361,<br>126-3289,<br>126-4860 | Michelin X Tweel Turf Caster<br>Smooth - 13x6.5N6 (5/8in<br>Mount) 290 lb Max Load | 2 |  |
|----|-----------|-------------------------------------------------|------------------------------------------------------------------------------------|---|--|

*Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:*

|    |           |                                                 |                                                                                     |   |  |
|----|-----------|-------------------------------------------------|-------------------------------------------------------------------------------------|---|--|
| 31 | RTMT73818 | 109-9127,<br>117-0361,<br>126-3289,<br>126-4860 | Michelin X Tweel Turf Caster<br>Grooved - 13x6.5N6 (5/8in<br>Mount) 290 lb Max Load | 2 |  |
|----|-----------|-------------------------------------------------|-------------------------------------------------------------------------------------|---|--|

*Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:*

|    |           |  |                                                   |   |  |
|----|-----------|--|---------------------------------------------------|---|--|
| 31 | R127-9528 |  | Tire & Wheel - 13x6.50-6<br>Smooth Semi Pneumatic | 2 |  |
|----|-----------|--|---------------------------------------------------|---|--|

|    |           |  |                          |   |  |
|----|-----------|--|--------------------------|---|--|
| 31 | R127-9526 |  | Tire & Wheel - 13x6.50-6 | 2 |  |
|----|-----------|--|--------------------------|---|--|

|    |           |  |                                       |   |  |
|----|-----------|--|---------------------------------------|---|--|
| 31 | R127-9540 |  | Tire & Wheel - 13x6.50-6<br>Pneumatic | 2 |  |
|----|-----------|--|---------------------------------------|---|--|

|    |           |          |                                       |   |  |
|----|-----------|----------|---------------------------------------|---|--|
| 31 | R117-0361 | 117-0361 | Tire & Wheel - 13x6.50-6<br>Pneumatic | 2 |  |
|----|-----------|----------|---------------------------------------|---|--|

|    |           |          |                                       |   |  |
|----|-----------|----------|---------------------------------------|---|--|
| 31 | R109-9127 | 109-9127 | Tire & Wheel - 13x6.50-6 Flat<br>Free | 2 |  |
|----|-----------|----------|---------------------------------------|---|--|

|    |                 |  |                                             |   |  |
|----|-----------------|--|---------------------------------------------|---|--|
| 31 | RZSM422-0027-00 |  | Tire & Wheel - 13x6.50-6 Carlisle<br>Smooth | 2 |  |
|----|-----------------|--|---------------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Exmark Quest Drive Series Parts

48in Rotary Mower  
Caster Wheel



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Other Parts Available

|    |           |                      |                               |   |  |
|----|-----------|----------------------|-------------------------------|---|--|
| 40 | R32128-23 | 32128-23,<br>99-5107 | Nut - Lock Hex Flanged 1/2-13 | 2 |  |
| 41 | R3234-47  | 3234-47              | Bolt - Flanged Hx HD          | 2 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.