

Alloy Hollow Tine with Carbide Tip -.750MT x 4.750L x .5250D R201510





Details

Carbide-Tipped Alloy Hollow Tine construction uses the same special high carbon alloy steel tubing and hardened to RC45-48 as the alloy hollow tines, with the addition of a carbide tip for even longer life. The advantage of using carbide-tipped tines is the ability to maintain your maximum aerating depth consistently over the life of the tines. You can expect these tines to last 6-8 times longer than the R&R Standard Hollow Tines. Carbide-tipped tines are not recommended in rocky soil conditions, as carbide, which is extremely wear resistant, can break when encountering hard impacts in rocks.

Replaces

R&R Products Toro R108-9141 108-9141

Specifications

| Manufacturer | R&R Products |
|----------------------|-------------------|
| A - Tine Type | Alloy Hollow with |
| | Carbide Tip |
| B - Tine Mounting | .750 in (19mm) |
| Dia. | |
| C - Tine Length | 4.75 in (121mm) |
| Carbide Tip | Carbide Tip |
| D - Tine Tip Outside | .525 in (13.3mm) |
| (Hole) Dia. | |
| E - Tine Tip Inside | .350 in (8.9 mm) |
| (Core) Dia. | |
| F - Tine Wall | .072 in (1.8mm) |
| Thickness | |
| | |

Fits Models Jacobsen GA-24

Baber Turf Equipment Co. Unit 6 / 10 Firth Street Auckland, 2113

Unit 6 / 10 Firth Street Auckland, 2113 09 294 6040 https://baber.rrproducts.com/



Alloy Hollow Tine with Carbide Tip -.750MT x 4.750L x .5250D R201510



Ryan Greensaire II Toro Greens Aerator Toro ProCore 1298 Toro ProCore 440 Toro ProCore 648 Toro ProCore 660 Toro ProCore 864 Toro ProCore 880 Toro ProCore 648s

Baber Turf Equipment Co. Unit 6 / 10 Firth Street Auckland, 2113

Unit 6 / 10 Firth Street Auckland, 2113 09 294 6040 https://baber.rrproducts.com/