


Reel & Redknife





ro		Reel Units			
em	R&R Rec	el & Bedknife _{OEM}		Qty	Orde
٥V	Part No.	Part No.	Description	Req	Quantit
R I	Reels, Lifetime G	uaranteed			
1	R503319	5001095, 5003053, 503319	Reel - 7 Blade LH	3	
	steel, heat-treate precision cylindr performance. Aa our lifetime guar	ed to perfectly complement ical grinding on bearing sur lvanced computer balancing rantee against defects in mo	ertly crafted from premium high can both R&R and OEM bedknives. Each faces, followed by relief grinding for g ensures extended reel and bearing aterials and craftsmanship under no ing precision you can trust.:	reel undergoes r optimal g life. Backed by	
1	R503320	5001096, 5003054, 5003064, 503320	Reel - 7 Blade RH	2	
	steel, heat-treate precision cylindr performance. Aa our lifetime guar	ed to perfectly complement ical grinding on bearing sur lvanced computer balancing rantee against defects in mo	ertly crafted from premium high can both R&R and OEM bedknives. Each faces, followed by relief grinding for g ensures extended reel and bearing aterials and craftsmanship under no ing precision you can trust.:	reel undergoes r optimal g life. Backed by	
1	R503321	5001097, 503321	Reel - 5 Blade LH	3	
	steel, heat-treate precision cylindr performance. Aa our lifetime guar	ed to perfectly complement ical grinding on bearing sur lvanced computer balancing rantee against defects in mo	ertly crafted from premium high can both R&R and OEM bedknives. Each faces, followed by relief grinding for g ensures extended reel and bearing aterials and craftsmanship under no ing precision you can trust.:	reel undergoes r optimal g life. Backed by	
1	R503322	5001098, 503322	Reel - 5 Blade RH	2	
	steel, heat-treate precision cylindr performance. Aa our lifetime guar	ed to perfectly complement ical grinding on bearing sur lvanced computer balancing	ertly crafted from premium high car both R&R and OEM bedknives. Each faces, followed by relief grinding for g ensures extended reel and bearing aterials and craftsmanship under no	reel undergoes r optimal g life. Backed by	

R&R Bedknives, Lifetime Guaranteed

R	ducts 5" Re	places Jacobs eel Units & Bedknife	en LF-135 Parts		
	R&R Part No.	OEM Part No.	Description	Qty Req	Orde Quantit
2	R5003150	5003150	Bedknife - Low Cut	1	
	then hardened to R Bedknives are surfa being packaged win grind for added life	RC46-49 to match the tem ace ground on the top and th oil for rust prevention.	factured from high carbon-boron alloy steel per of our reel blades and original equipme d front edge and straightened three times be All R&R Bedknives now have an increased fr uaranteed against defects in material and of the part.:	nt reels. efore	
2	R503460	503257, 503460	Bedknife - 22 in 13 Hole	1	
	then hardened to F Bedknives are surfa being packaged win grind for added life	RC46-49 to match the tem ace ground on the top and th oil for rust prevention.	factured from high carbon-boron alloy steel per of our reel blades and original equipme d front edge and straightened three times be All R&R Bedknives now have an increased fr uaranteed against defects in material and of the part.:	nt reels. efore	
2&R	Razor Tool Steel Be	dknives, Lifetime Guard	inteed		
2	R101523		Bedknife - Razor Tool Steel - 22 High Cut	1	
2	Detail Description: and then hardened equipment premiu specially packaged grind for added life	l to RC48-51 to match the m series reels. Bedknives for rust prevention. All R& e. All R&R Bedknives are g er normal use for the life o		el steel al ge and dge	
_	Detail Description: and then hardened equipment premiu specially packaged grind for added life workmanship unde	l to RC48-51 to match the m series reels. Bedknives for rust prevention. All R& e. All R&R Bedknives are g er normal use for the life o	High Cut manufactured from premium alloy tool stee temper of our Razor reel blades and origine are surface ground on the top and front edg &R Bedknives now have an increased front e waranteed against defects in material and	el steel al ge and dge	
_	Detail Description: and then hardened equipment premiu specially packaged grind for added life workmanship unde standard bedknive	l to RC48-51 to match the m series reels. Bedknives for rust prevention. All R& e. All R&R Bedknives are g er normal use for the life o	High Cut manufactured from premium alloy tool stee temper of our Razor reel blades and origine are surface ground on the top and front edg &R Bedknives now have an increased front e waranteed against defects in material and	el steel al ge and dge	
Servi	Detail Description: and then hardened equipment premiu specially packaged grind for added life workmanship unde standard bedknive ce Tools R101272T Tech Note: Easily in	l to RC48-51 to match the m series reels. Bedknives for rust prevention. All R& e. All R&R Bedknives are ge er normal use for the life o s.:	High Cut manufactured from premium alloy tool stee temper of our Razor reel blades and origine are surface ground on the top and front edg &R Bedknives now have an increased front e waranteed against defects in material and of the part. You can expect up to double the	el steel al ge and dge life over	
Servi	Detail Description: and then hardened equipment premiu specially packaged grind for added life workmanship unde standard bedknive ce Tools R101272T Tech Note: Easily in manufactured with Detail Description:	to RC48-51 to match the m series reels. Bedknives for rust prevention. All R c. All R&R Bedknives are go er normal use for the life o s.: notall and remove bed knij hardened alloy steel.:	High Cut manufactured from premium alloy tool stee temper of our Razor reel blades and origine are surface ground on the top and front edg &R Bedknives now have an increased front e waranteed against defects in material and of the part. You can expect up to double the Bedknife Screw Driver Tool	el steel al dge life over 0	
Servi 3	Detail Description: and then hardened equipment premiu specially packaged grind for added life workmanship unde standard bedknive ce Tools R101272T Tech Note: Easily in manufactured with Detail Description:	I to RC48-51 to match the m series reels. Bedknives for rust prevention. All Ra e. All R&R Bedknives are go er normal use for the life o s.: hardened alloy steel.: Easily install and remove	High Cut manufactured from premium alloy tool stee temper of our Razor reel blades and origing are surface ground on the top and front edg &R Bedknives now have an increased front e waranteed against defects in material and of the part. You can expect up to double the Bedknife Screw Driver Tool fe screws with the help of a ratchet. Tool	el steel al dge life over 0	
Gervi 3 Dthe	Detail Description: and then hardened equipment premiu specially packaged grind for added life workmanship unde standard bedknives ce Tools R101272T Tech Note: Easily in manufactured with Detail Description: manufactured with	I to RC48-51 to match the m series reels. Bedknives for rust prevention. All Ra e. All R&R Bedknives are go er normal use for the life o s.: hardened alloy steel.: Easily install and remove	High Cut manufactured from premium alloy tool stee temper of our Razor reel blades and origing are surface ground on the top and front edg &R Bedknives now have an increased front e waranteed against defects in material and of the part. You can expect up to double the Bedknife Screw Driver Tool fe screws with the help of a ratchet. Tool	el steel al dge life over 0	

R	& R ducts	Replaces Jacobsen LF 5" Reel Units	-135 Parts		
ltem	R&R	Reel & Bedknife		Qty	Order
	Part No.		Description	Req	Quantity
	Detail Descr	iption: Includes: R336962, R1002607, R30	2-5, R254-79, R461397 & R3005841:		
12	R500534	500534, E R500534	Bearing - with Cup	1	
	Detail Descr	iption: Kit includes: 1 ea R254-78- Bearing	cone & R254-79 Bearing Cone:		
13	R336962	336962 S	ieal	2	
15	R1002607	1001021, P 1002607	Pin - Assy Quick Release	1	
16	R302-5	302-5, 471214, 471223, 471226	itting - Grease	1	
17	R3005841	3005841 S	pring - Vent Cover	1	
18	R458013	458013 R	Ring - Retaining	1	
19	R367164	367164 S	ipacer - Reel	1	
20	R220278	121856, 220278, E 5000415	Backing Bar - Cast	1	
20	R2000068	2000068 E	3ed Bar	1	
21	R101272	101272, 3009138, S 402578, 800813	icrew - Bedknife 1/4-20 x 1/2	13	
22	R315298	315298 E	Bolt - Bed Bar	2	
23	R254-79	254-79, c 4121175 c	Cup - Bearing	2	
	Detail Descr	iption: Use R254-79M installation mandre	el to properly install race.:		

24 R254-78	254-78, 385174, 4121174, 4135152	Tapered Bearing Cone	2	
-------------------	---	----------------------	---	--

R	& R ducts	Replaces Jacobse 5" Reel Units Reel & Bedknife	n LF-135 Parts		
	R&R	OEM		Qty	Order
No	Part No.	Part No.	Description	Req	Quantity
25	R453009	3256-23, 452004, 452006, 452008, 453009	Washer - Flat 5/16 SAE	8	
25	R453011	453011	Washer - Flat 3/8 SAE Y/Zinc	1	
26	R164144	1000480, 163397, 164144, 2000060	Housing - Reel Bearing	1	
	Detail Desci	ription: Includes R336962 Seal, R30	2-5 Zerk, R170714 Relief Fitting & R254-79	Cup:	
27	R170714	170714, 471240, 471242	Fitting - Pressure Relief	1	
28	R5002151	5002151	Hardware Kit - Spring/Washer	1	
	Detail Desci	ription: Includes 1 ea: R304745 Was	sher, R363047 Spring:		
29	R364900	364900	Nut - Reel Tension	1	
30	R337677	315257, 337677	Seal - Oil	1	
31	R363814	163892, 363814	Spacer - Seal	1	
32	R400192	400192	Bolt - Hex HD 5/16-18 x 1-1/2	8	
33	R363047	348846, 363047	Spring - Reel	1	
34	R304745	304745	Washer - Reel	1	
35	R3001720	3001720	Coupler - Iron - Hyd Motor	1	
36	R400294	400294	Screw - 3/8 24 x 3/4 Hex C/Zinc	1	
37	R412506	412503, 412506	Screw - Bed Bar Adjusting	4	
39	R400264	400264	Bolt - Hex HD 3/8-16 x 1-1/4	2	

R	&R ducts	Replaces Jacobse 5" Reel Units	n LF-135 Parts		
	R&R Part No.	Reel & Bedknife OEM Part No.	Description	Qty Req	Order Quantity
	R345510	345510	Spacer	2	<u>((()))</u>
42	R2000065	2000065	Weight - Counter	1	
43	R3253-3	3253-3, 446128, 446130	Washer - Lock 1/4	4	
44	R321-5	321-5, 400110	Bolt - Hex HD 1/4-20 x 7/8	2	
45	R390950	126724, 2810043, 390950	Shield - Grass	1	
46	R400106	400106	Bolt - Hex HD 1/4-20 x 5/8	2	
47	R443102	443102	Nut - 1/4-20 Yellow Zinc	4	
48	R453023	453023	Washer - Flat 1/4	2	
49	R343616	343616, 443102	Stud	2	
50	R365009	3005692, 365009, 365170, 441674	Knob - Adjusting Roller	2	
51	R441674	441674	Screw - 5/16-18 x 1-3/4 Carriage	2	
52	R352737	352737	Screw - Set 1/4 x 7/8 Sq Head	2	
53	R153980	153980, 3008438	Bracket - Front Roller	2	
54	R461256	461256	Pin - 1/4 x 1	2	
55	R153979	153979, 3008439	Bracket - Front Roller	2	
56	R471219	366852, 471219	Zerk - Grease	2	
59	R445795	445795	Nut - 5/16-18 Flanged	12	

R	& R ducts	Replaces Jacobsen LF 5" Reel Units	-135 Parts	
	R&R Part No.	Reel & Bedknife OEM Part No.		Qty Order Req Quantity
	R322-5			4
70	R3008199	3008199	Skid - Motor LH Front Reel	1
71	R3008200	3008200	Skid - Motor RH Front Reel	1
85	R285-14	F	Plug - Pipe Frame	2
87	R17-1710	452008	Nasher - Flat 3/8 Yellow USS	3
88	R443110	306562, 443110, M 444762	Nut - 3/8-16 Hex	1
89	R3254-6	3254-6, 446140, \ 446142	Washer - Lock 3/8	1
90	R366974	366974 E	Bearing - Rod End	1
91	R352435	352435	Spacer	1
92	R400266	400266 E	3olt - Hex HD 3/8-16 x 1-1/2	1
92	R400268	400268 E	3olt - Hex HD 3/8-16 x 1-3/4	1
94	R460312	460312 F	Pin - Hair Cotter	1
95	R3008593	3008593	Shaft - Down Pressure	1
96	R453017	452012, 453017	Washer - Flat 1/2	1
97	R311870	311870 5	Spring - Compression	1
98	R461397	461397 F	Pin - Roll 1/4 x 1-1/4	1
99	R3008601	3008601 E	Bracket - Spring Holddown	1
103	R1004786	1004786 F	Housing - Bearing Quick Clip	1
	Detail Descr	iption: Includes: R336962, R302-5, R254-7	79, R3010296, R32152-4 & R170714:	
104	R3010296	3010296 F	Pin - Motor Mounting	2

R&R Products	Replaces Jacobsen LF-135 Parts 5" Reel Units Reel & Bedknife			
ltem R&R No Part No.	OEM Part No.	Description	Qty Reg	Order Quantity
105 R32152-4	32152-4, 444708	Locknut - 1/4-20 All Metal	2	
106 R2810165	2810165, 2810166, 3010236, 3010636	Clip - Spring Motor	1	
107 R2810166	2810166, 3010637	Clip - Spring Motor	1	
108 R5003087	5003087	Frame - 5 Reel	1	
109 R354083	354083, 361877, 4127335	Decal - Danger	2	