




# Replaces John Deere 3225C Reel Mower Parts

Medium Cutting Unit  
Reel & Bedknife



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower Parts

Medium Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## R&R Reels, Lifetime Guaranteed

|   |                  |                      |                                             |   |  |
|---|------------------|----------------------|---------------------------------------------|---|--|
| 1 | <b>RAET11237</b> | AET11237,<br>AMT2883 | Reel - 7 Blade Heavy Duty - External Spline | 1 |  |
|---|------------------|----------------------|---------------------------------------------|---|--|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |                |                    |                                   |   |  |
|---|----------------|--------------------|-----------------------------------|---|--|
| 1 | <b>R101274</b> | AMT2885,<br>AMT538 | Reel - 11 Blade - External Spline | 1 |  |
|---|----------------|--------------------|-----------------------------------|---|--|

*Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:*

## R&R Bedknives, Lifetime Guaranteed

|   |                 |                     |                          |   |  |
|---|-----------------|---------------------|--------------------------|---|--|
| 2 | <b>RET17767</b> | ET17767,<br>UC23562 | Bedknife - High Cut 5/16 | 1 |  |
|---|-----------------|---------------------|--------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                     |                             |   |  |
|---|-----------------|---------------------|-----------------------------|---|--|
| 2 | <b>RET17532</b> | ET11066,<br>ET17532 | Bedknife - Fairway .189 Min | 1 |  |
|---|-----------------|---------------------|-----------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower

## Parts

Medium Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

|   |          |                                                                   |                                         |   |  |
|---|----------|-------------------------------------------------------------------|-----------------------------------------|---|--|
| 2 | RET17533 | ET14402,<br>ET17533,<br>ET17767,<br>MT4869,<br>MT7351,<br>UC18873 | Bedknife - 22in Standard- .126 Min. HOC | 1 |  |
|---|----------|-------------------------------------------------------------------|-----------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |          |         |                                          |   |  |
|---|----------|---------|------------------------------------------|---|--|
| 2 | RET17534 | ET17534 | Bedknife - 22in Tournament- .098 Min HOC | 1 |  |
|---|----------|---------|------------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |         |                                            |                                      |   |  |
|---|---------|--------------------------------------------|--------------------------------------|---|--|
| 2 | RMT7351 | ET17489,<br>MT7351,<br>UC19154,<br>UC28163 | Bedknife - 22in Lo-Cut .079 Min. HOC | 1 |  |
|---|---------|--------------------------------------------|--------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

### R&R Razor Tool Steel Bedknives, Lifetime Guaranteed

|   |         |                    |                                                 |   |  |
|---|---------|--------------------|-------------------------------------------------|---|--|
| 2 | R130116 | MT4846,<br>UC18877 | Bedknife - Razor Tool Steel - 22 Tournament Cut | 1 |  |
|---|---------|--------------------|-------------------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower

## Parts

Medium Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:*

|   |                |  |                                           |   |  |
|---|----------------|--|-------------------------------------------|---|--|
| 2 | <b>R130130</b> |  | Bedknife - Razor Tool Steel - 22 High Cut | 1 |  |
|---|----------------|--|-------------------------------------------|---|--|

*Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:*

### Service Tools

|   |                 |  |                            |   |  |
|---|-----------------|--|----------------------------|---|--|
| 3 | <b>R101278T</b> |  | Bedknife Screw Driver Tool | 0 |  |
|---|-----------------|--|----------------------------|---|--|

*Tech Note: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:*

*Detail Description: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:*

### Other Parts Available

|    |                 |         |                         |    |  |
|----|-----------------|---------|-------------------------|----|--|
| 10 | <b>RET11070</b> | ET11070 | Spring - Bed Bar        | 2  |  |
| 11 | <b>RMT6486</b>  | MT6486  | Nut - Bed Bar Adjusting | 2  |  |
| 12 | <b>RET16679</b> | ET16679 | Washer - Spring         | 6  |  |
| 13 | <b>RMT6990</b>  | MT6990  | Nut - Adjusting         | 2  |  |
| 14 | <b>R45M7060</b> | 45M7060 | Pin                     | 2  |  |
| 15 | <b>RMT2694</b>  | MT2694  | Bed Bar                 | 1  |  |
| 16 | <b>R101278</b>  | 21M7194 | Screw - Bedknife        | 13 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower

## Parts

Medium Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description                       | Qty Req | Order Quantity |
|---------|--------------|--------------|-----------------------------------|---------|----------------|
| 17      | RMT6483      | MT6483       | Nut - Adjusting Rear Roller       | 2       |                |
| 18      | R14M7296     | 14M7296      | Nut - 10mm x 1.5 Flanged          | 2       |                |
| 19      | R24M7096     | 24M7096      | Washer                            | 2       |                |
| 20      | R19M7383     | 19M7383      | Bolt - Rear Roller Adj 55 mm Long | 2       |                |
| 20      | R19M7385     | 19M7385      | Bolt - Rear Roller Adj 70mm Long  | 2       |                |
| 21      | RP250-52     | T105740      | Washer - 3/8 USS Flat Zinc        | 2       |                |
| 22      | R14M7517     | 14M7517      | Locknut - 10mm x 1.5 ESNA         | 2       |                |
| 23      | RAMT5112     | AMT5112      | Bracket - Roller RH Rear          | 1       |                |
| 24      | RAMT5113     | AMT5113      | Bracket - Roller LH Rear          | 1       |                |
| 25      | RMT3016      | MT3016       | Bolt - Bed Bar                    | 2       |                |
| 26      | RN168012     | N168012      | Washer - Spring                   | 4       |                |
| 27      | RB30499      | B30499       | Bushing - Bed Bar                 | 2       |                |
| 28      | R130121      | AMT1415      | Frame - Cutting Unit              | 1       |                |
| 29      | R14M7166     | 14M7166      | Locknut - 8mm x 1.25 ESNA         | 1       |                |
| 30      | RMT3881      | MT3881       | Nut - Eccentric Front Roller Bkt  | 1       |                |
| 31      | R12M7052     | 12M7052      | Washer - Rib Lock                 | 1       |                |
| 32      | R03M7184     | 03M7184      | Bolt - Carriage M8                | 3       |                |
| 33      | R22H1004     | 19H3003      | Screw - Set 1/4-28 x 1/2          | 2       |                |
| 34      | R3219-1      | 14H860       | Nut - 1/4-28                      | 2       |                |
| 35      | R03M7191     | 03M7191      | Bolt - Carriage M10 x 25          | 2       |                |
| 36      | R130123      | 130123       | Nut - Hex 10mm x 1.0              | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower

## Parts

Medium Cutting Unit  
Reel & Bedknife



| Item No                                                                                 | R&R Part No.    | OEM Part No.                 | Description                       | Qty Req | Order Quantity |
|-----------------------------------------------------------------------------------------|-----------------|------------------------------|-----------------------------------|---------|----------------|
| 37                                                                                      | <b>RMT3015</b>  | MT3015                       | Bracket - RH - Extended           | 1       |                |
| 37                                                                                      | <b>RMT7259</b>  | MT7259                       | Bracket - RH                      | 1       |                |
| 38                                                                                      | <b>RMT3072</b>  | MT3072                       | Bracket - LH - Extended           | 1       |                |
| 38                                                                                      | <b>RMT7260</b>  | MT7260                       | Bracket - LH                      | 1       |                |
| 39                                                                                      | <b>R03M7188</b> | 03M7188                      | Bolt - Carriage M8 x 40           | 1       |                |
| 40                                                                                      | <b>RH135891</b> | H135891                      | Locknut - 10mm x 1.5 Flanged 10.9 | 2       |                |
| <i>Detail Description: High Strength:</i>                                               |                 |                              |                                   |         |                |
| 41                                                                                      | <b>RMT6476</b>  | MT6476                       | Counterweight                     | 1       |                |
| 42                                                                                      | <b>RMT7294</b>  | MT2647,<br>MT7294            | Housing - Reel                    | 2       |                |
| 43                                                                                      | <b>R170714</b>  | E14814                       | Fitting - Pressure Relief         | 2       |                |
| 44                                                                                      | <b>R302-5</b>   | JD7797,<br>JD7842,<br>JD7844 | Fitting - Grease                  | 4       |                |
| 45                                                                                      | <b>R19M7804</b> | 19M7804                      | Bolt - Flanged Hex M10-1.5 x 40   | 2       |                |
| 46                                                                                      | <b>R19M8008</b> | 19M8008                      | Bolt - Hex HD M8-1.25 x 35        | 6       |                |
| 47                                                                                      | <b>RR30587</b>  | 30587,<br>R30587             | Pin - Dowell 1/4 Dia. x .75       | 4       |                |
| 48                                                                                      | <b>R254-79</b>  | JD8226                       | Cup - Bearing                     | 2       |                |
| <i>Detail Description: Use R254-79M installation mandrel to properly install race.:</i> |                 |                              |                                   |         |                |
| 49                                                                                      | <b>R254-78</b>  | JD8188                       | Tapered Bearing Cone              | 2       |                |
| 50                                                                                      | <b>RET14566</b> | ET14566                      | Seal - Reel                       | 2       |                |
| 51                                                                                      | <b>RET16704</b> | ET16704                      | Retainer                          | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower Parts

Medium Cutting Unit  
Reel & Bedknife



| Item No                                                                                         | R&R Part No. | OEM Part No.       | Description                | Qty Req | Order Quantity |
|-------------------------------------------------------------------------------------------------|--------------|--------------------|----------------------------|---------|----------------|
| 52                                                                                              | RET14592     | ET14592            | Spring - Reel Bearing      | 1       |                |
| 53                                                                                              | RTCA12581    | TCA12581           | Coupling - Reel 11 Tooth   | 1       |                |
| 54                                                                                              | RMT2527      | MT2527             | Shoe - Skid                | 2       |                |
| 55                                                                                              | R130122      |                    | Clip - Hitch Pin           | 1       |                |
| 56                                                                                              | RAMT2261     | AMT2261            | Kit - Bolt w/Clip          | 2       |                |
| 57                                                                                              | RAMT1479     | AMT1479            | Chain - Link               | 1       |                |
| 58                                                                                              | R24H1682     | 24H1682            | Washer - 13/32 x 7/8 x 1/8 | 1       |                |
| 59                                                                                              | R460028      | 11M7059,<br>460028 | Pin - Cotter 1/8 x 1       | 1       |                |
| 60                                                                                              | R500534      |                    | Bearing - with Cup         | 2       |                |
| <i>Detail Description: Kit includes: 1 ea R254-78- Bearing Cone &amp; R254-79 Bearing Cone:</i> |              |                    |                            |         |                |
| 61                                                                                              | RN198341     | N198341            | Nut - Nyloc 7/8-14         | 1       |                |
| 62                                                                                              | RMT2624      | MT2624             | Knife - Greens Conditioner | 38      |                |
| 63                                                                                              | RET14917     | ET14917            | Spacer                     | 1       |                |
| 64                                                                                              | RMT2745      | MT2745             | Snap Ring                  | 1       |                |
| 65                                                                                              | RAMT2495     | AMT2495,<br>AMT554 | Shield - Grass             | 1       |                |
| 66                                                                                              | R67-7960     |                    | Decal - Warning            | 2       |                |
| 67                                                                                              | R19M7865     | 19M7865            | Bolt - Hex Washer M8 x 16  | 2       |                |
| 68                                                                                              | RH137328     | H137328            | Locknut                    | 12      |                |
| 69                                                                                              | R11M7012     | 11M7012            | Pin - Cotter 1/8 x 5/8     | 2       |                |
| 70                                                                                              | RMT3074      | MT3074             | Eyebolt - Bed Bar          | 2       |                |
| 72                                                                                              | RMT6517      | MT6517             | Label - Warning            | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 3225C Reel Mower Parts

*Medium Cutting Unit  
Reel & Bedknife*



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.