




# Replaces John Deere 8000 E-Cut Hybrid Reel Mower Parts

Cutting Unit  
Rollers



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8000 E-Cut Hybrid Reel Mower Parts

Cutting Unit  
Rollers



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## R&R Rollers

|   |                 |                                 |                             |   |  |
|---|-----------------|---------------------------------|-----------------------------|---|--|
| 1 | <b>RAMT2786</b> | AMT2786,<br>AMT2981,<br>BM20561 | Roller - Smooth Solid Steel | 1 |  |
|---|-----------------|---------------------------------|-----------------------------|---|--|

*Detail Description: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.:*

|   |                 |                                 |                                       |   |  |
|---|-----------------|---------------------------------|---------------------------------------|---|--|
| 2 | <b>RAMT2784</b> | AMT2784,<br>AMT2979,<br>BM20562 | Roller - Grooved Machined Solid Steel | 1 |  |
|---|-----------------|---------------------------------|---------------------------------------|---|--|

*Detail Description: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.:*

|   |                  |          |                               |   |  |
|---|------------------|----------|-------------------------------|---|--|
| 3 | <b>RTCA19509</b> | TCA19509 | Roller - Smooth Tubular Steel | 1 |  |
|---|------------------|----------|-------------------------------|---|--|

*Detail Description: Constructed with a through shaft, this heavy duty roller uses greasable tapered bearings for extended life.:*

|   |                  |                                  |                               |   |  |
|---|------------------|----------------------------------|-------------------------------|---|--|
| 4 | <b>RTCA19656</b> | BM24203,<br>BM24204,<br>TCA19656 | Roller - Smooth Tubular Steel | 1 |  |
|---|------------------|----------------------------------|-------------------------------|---|--|

## Other Parts Available

|    |                 |                                   |         |   |  |
|----|-----------------|-----------------------------------|---------|---|--|
| 30 | <b>RAA35741</b> | AA35741,<br>AET10129,<br>TCA22836 | Bearing | 2 |  |
|----|-----------------|-----------------------------------|---------|---|--|

*Detail Description: 1/4" Side Hole:*

|    |               |                              |                  |   |  |
|----|---------------|------------------------------|------------------|---|--|
| 31 | <b>R302-5</b> | JD7797,<br>JD7842,<br>JD7844 | Fitting - Grease | 2 |  |
|----|---------------|------------------------------|------------------|---|--|

|    |                 |                              |      |   |  |
|----|-----------------|------------------------------|------|---|--|
| 32 | <b>RET15756</b> | ET15756,<br>MT1739,<br>MT739 | Seal | 2 |  |
|----|-----------------|------------------------------|------|---|--|

|    |                |        |               |   |  |
|----|----------------|--------|---------------|---|--|
| 33 | <b>R254-79</b> | JD8226 | Cup - Bearing | 2 |  |
|----|----------------|--------|---------------|---|--|

*Detail Description: Use R254-79M installation mandrel to properly install race.:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 8000 E-Cut Hybrid Reel Mower Parts

Cutting Unit  
Rollers



| Item No | R&R Part No.    | OEM Part No.         | Description                | Qty Req | Order Quantity |
|---------|-----------------|----------------------|----------------------------|---------|----------------|
| 34      | <b>R254-78</b>  | JD8188               | Tapered Bearing Cone       | 2       |                |
| 35      | <b>RET15755</b> | ET15755              | Seal - Oil                 | 4       |                |
| 36      | <b>R237-54</b>  | U46731,<br>U6731     | O-Ring - Small             | 2       |                |
| 37      | <b>RET15726</b> | ET15726,<br>RET15726 | Sleeve - Wear Hardened     | 2       |                |
| 38      | <b>R3296-15</b> | N101345              | Locknut - 3/4-16 Nylon Jam | 2       |                |
| 39      | <b>RTC26890</b> | TCU26890             | Shaft - Roller             | 1       |                |
| 40      | <b>R500534</b>  |                      | Bearing - with Cup         | 2       |                |

*Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.