




# Replaces Lastec Articulator Parts

Rotary Mower

Rotary Parts



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Lastec Articulator Parts

Rotary Mower

Rotary Parts



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Rotary Blades

|   |                     |      |                                                  |   |  |
|---|---------------------|------|--------------------------------------------------|---|--|
| 1 | <b>RRB3080-2101</b> | P128 | Mower Blade - High-Lift 21 x 2.5in x 5/8 Mt Hole | 7 |  |
|---|---------------------|------|--------------------------------------------------|---|--|

*Tech Note: 21 in High Lift:*

*Detail Description: R&R Products rotary blades are manufactured in the USA with superior alloy steel and hardened for extended life. Lifetime guaranteed against defects in material and workmanship.:*

|   |                |  |                                   |   |  |
|---|----------------|--|-----------------------------------|---|--|
| 2 | <b>R42180M</b> |  | Mower Blade - 61 Deck Gator Mulch | 7 |  |
|---|----------------|--|-----------------------------------|---|--|

## Other Parts Available

|   |               |      |        |    |  |
|---|---------------|------|--------|----|--|
| 3 | <b>RG-366</b> | P105 | O-Ring | 14 |  |
|---|---------------|------|--------|----|--|

|   |                |      |                |   |  |
|---|----------------|------|----------------|---|--|
| 4 | <b>R358672</b> | P104 | Bearing - Ball | 7 |  |
|---|----------------|------|----------------|---|--|

*Tech Note: Bottom:*

|   |              |      |                 |   |  |
|---|--------------|------|-----------------|---|--|
| 5 | <b>RT114</b> | T114 | Spindle - Power | 1 |  |
|---|--------------|------|-----------------|---|--|

|   |              |      |                    |   |  |
|---|--------------|------|--------------------|---|--|
| 6 | <b>RT106</b> | T106 | Spindle - Standard | 6 |  |
|---|--------------|------|--------------------|---|--|

|   |              |      |                   |   |  |
|---|--------------|------|-------------------|---|--|
| 7 | <b>RF104</b> | F104 | Washer - Lock 5/8 | 7 |  |
|---|--------------|------|-------------------|---|--|

|   |              |      |                              |   |  |
|---|--------------|------|------------------------------|---|--|
| 8 | <b>RF103</b> | F103 | Bolt - Hex HD 5/8-18 x 1-1/2 | 7 |  |
|---|--------------|------|------------------------------|---|--|

|   |                |      |                    |   |  |
|---|----------------|------|--------------------|---|--|
| 9 | <b>R500534</b> | P292 | Bearing - with Cup | 2 |  |
|---|----------------|------|--------------------|---|--|

*Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:*

|    |              |                        |                                 |   |  |
|----|--------------|------------------------|---------------------------------|---|--|
| 10 | <b>RA150</b> | A150,<br>P100,<br>P226 | Tire & Wheel - 9 x 3.5-4 Smooth | 0 |  |
|----|--------------|------------------------|---------------------------------|---|--|

*Detail Description: Urethane Filled w/3/4" Tapered Bearings:*

|    |              |      |                            |   |  |
|----|--------------|------|----------------------------|---|--|
| 11 | <b>RF101</b> | F101 | Bolt - Carriage 3/4-10 x 6 | 1 |  |
|----|--------------|------|----------------------------|---|--|

|    |              |      |                          |   |  |
|----|--------------|------|--------------------------|---|--|
| 12 | <b>RF164</b> | F164 | Bolt - Hex HD 3/4-10 x 6 | 1 |  |
|----|--------------|------|--------------------------|---|--|

|    |              |      |                             |   |  |
|----|--------------|------|-----------------------------|---|--|
| 13 | <b>RF102</b> | F102 | Locknut - 3/4-10 ESNA L/Nut | 1 |  |
|----|--------------|------|-----------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Lastec Articulator Parts

Rotary Mower

Rotary Parts



| Item No | R&R Part No.   | OEM Part No. | Description                       | Qty Req | Order Quantity |
|---------|----------------|--------------|-----------------------------------|---------|----------------|
| 14      | <b>RW118A</b>  | W118A        | Yoke - Wheel Carriage Bolt        | 2       |                |
| 14      | <b>RW118</b>   | W118         | Yoke - Wheel Hex HD Bolt          | 2       |                |
| 14      | <b>RW120A</b>  | W120A        | Yoke - Rear Fixed Wheel Cb        | 1       |                |
| 14      | <b>RW120</b>   | W120         | Yoke - Rear Fixed Wheel Hh        | 1       |                |
| 14      | <b>RW132A</b>  | W132A        | Yoke - Side Fixed Wheel Cb        | 1       |                |
| 14      | <b>RW132</b>   | W132         | Yoke - Side Fixed Wheel Hh        | 1       |                |
| 14      | <b>RW133A</b>  | W133A        | Yoke - Side Fixed Wheel Cb        | 1       |                |
| 14      | <b>RW133</b>   | W133         | Yoke - Side Fixed Wheel Hh        | 1       |                |
| 15      | <b>RP296</b>   | P296         | Spacer - Bearing                  | 2       |                |
| 16      | <b>RW174</b>   | W174         | Yoke - Dual Wheel 1-1/4 Shft      | 2       |                |
| 17      | <b>RP180-M</b> | P180-M       | Axle - L-Pin Dual Wheel Yoke      | 2       |                |
| 18      | <b>RT134</b>   | T134         | Axle - Dual Wheel Yoke Std 9 7/8  | 1       |                |
| 18      | <b>RT136</b>   | T136         | Axle - Dual Wheel Yoke Ext 10 1/4 | 1       |                |
| 19      | <b>RF150</b>   | F150         | Locknut - 5/8-11 ESNA Full        | 1       |                |
| 20      | <b>RT125</b>   | T125         | Spacer - Outer Brg Yoke           | 2       |                |
| 21      | <b>RT126</b>   | T126         | Spacer - Inner Brg Yoke           | 1       |                |
| 22      | <b>RP109</b>   | P109         | Bushing - Bronze                  | 1       |                |
| 23      | <b>RT104</b>   | T104         | Spacer - Caster Wheel 1/4         | 1       |                |
| 24      | <b>RT107</b>   | T107         | Spacer - Wheel 1                  | 1       |                |
| 25      | <b>RP203</b>   | P203         | Bushing - Flanged                 | 1       |                |
| 26      | <b>RT132</b>   | T132         | Spacer - 1/4                      | 1       |                |
| 27      | <b>RT133</b>   | T133         | Spacer - Dual Wheel 1             | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## Replaces Lastec Articulator Parts

Rotary Mower

Rotary Parts



| Item No | R&R Part No. | OEM Part No. | Description               | Qty Req | Order Quantity |
|---------|--------------|--------------|---------------------------|---------|----------------|
| 28      | RP110-M      | P110-M       | Clevis Pin - 3/8 x 1 5/16 | 1       |                |
| 29      | RP212-M      | P212-M       | Clevis Pin - 3/8 x 2 1/8  | 1       |                |
| 30      | RP111        | P111         | Ring - 1 Kick Out         | 1       |                |
| 31      | RP146        | P146         | Belt - Drive B49          | 1       |                |
| 31      | RP147        | P147         | Belt - Deck B56           | 1       |                |
| 32      | RP293        | P293         | Seal - Fits RA150 Wheel   | 2       |                |
| 33      | R35008       | P103         | Bearing - Spindle         | 7       |                |

*Tech Note: Top:*

|    |         |  |                      |   |  |
|----|---------|--|----------------------|---|--|
| 34 | R254-78 |  | Tapered Bearing Cone | 2 |  |
| 35 | R254-79 |  | Cup - Bearing        | 2 |  |

*Detail Description: Use R254-79M installation mandrel to properly install race.:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.