


4-Bolt Cutting Unit - Models 04480 & 04481 Front Rollers





4-Bolt Cutting Unit - Models 04480 & 04481 Front Rollers



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity		
R&R F	Front Rollers						
1	R150340		Roller - Smooth UHMW Polyethylene	0			
	Tech Note: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:						
2	R1502600		Roller - Smooth UHMW Polyethylene	0			
	Tech Note: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:						
3	R93-2469	93-2469	Roller - Grooved Machined Aluminum	0			
	Tech Note: Constructed with a through shaft and ball bearings, this roller is machined from aluminum and features 1-1/8" wide grooves.:						
4	R99-4211	99-4211	Roller - Grooved Machined Aluminum	0			
	Tech Note: Constructed with a through shaft and ball bearings, this roller is machined from aluminum and features 5/8" wide grooves.:						
5	R99-6241	99-6241	Roller - Grooved Machined Solid Aluminum	0			
	Tech Note: Machined fr style bearings and feat		his light weight roller uses greasable "water-p s.:	ump"			
6	R150735		Roller - Grooved Machined Aluminum	0			
	Tech Note: Machined from aluminum, this light weight roller uses greasable "water-pump" style bearings and features 3/4" wide grooves.:						
7	R150335		Roller - Grooved UHMW Polyethylene	0			
	Tech Note: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.:						

4-Bolt Cutting Unit - Models 04480 & 04481 Front Rollers



	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
8	R1502650		Roller - Grooved UHMW Polyethylene	0				
	Tech Note: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.:							
Overl	haul Kits							
20	R101395		Overhaul Kit - UHMW Roller	0				
	Tech Note: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, & R150334A Bronze Thrust Washers:							
21	R101399		Overhaul Kit - UHMW 2 Pc Roller	1				
	Tech Note: Fits all R&R 2-1/2" - 3-1/2" Dia. Black UHMW Plastic Rollers that do not use ball bearings Includes 2 ea.: R1503230 Star Washers, R1503470 Seals, R150333 Thrust Washers, R3296-15 Locknuts, R1503471 Bronze Thrust Washers:							
22	R107-1588	107-1588	Overhaul Kit - Roller	0				
	Tech Note: Includes 2 ea.: R302-5 Grease Fittings & R52-3180 Bearings:							
23	R107-1591	107-1591	Overhaul Kit - Roller	0				
	Tech Note: Includes 2 ea: R458013 Retaining Rings & R93-2559 Bearings:							
Othe	r Parts Available							
30	R52-3180	21-6410, 52-3180	Bearing - Front Roller	2				



4-Bolt Cutting Unit - Models 04480 & 04481 Front Rollers



ltem <b>R&amp;R</b> No <b>Part No.</b>	OEM Part No.	Description	Qty <b>Order</b> Req <b>Quantity</b>
31 <b>R302-5</b>	21-6010, 302-11, 302-37, 302-47, 302-5, 302-57, 302-58, 302-6, 31-0300, 32-9660, 60-0800, 62-3880, 92-4181	Fitting - Grease	4
32 <b>R52-3210</b>	52-3210	Bearing - w/Milled Flat	2
33 <b>R93-2559</b>	93-2559	Bearing	2
34 <b>R458013</b>	30-0580, 32120-72, 458013, 93-2525, 936125	Ring - Retaining	2
35 <b>R93-2470</b>	93-2470	Shaft - Fits Grooved Roller	1
36 <b>R150347T</b>		Seal - Nonstick Lip	2
37 <b>R150334A</b>		Washer - Thrust SAE660 Bronze	2
38 <b>R150333</b>		Washer - Flat Keyed Outer SS	2
39 <b>R3296-15</b>	116-7306, 32118-5, 32127-23, 32127-47, 3296-15	Locknut - 3/4-16 Nylon Jam	2
40 <b>R1503230</b>		Washer - Thrust Outer Keyed	2
41 <b>R1503471</b>		Washer - Thrust SAE660 Bronze	2
42 <b>R1503470</b>		Seal - Inner Wiper	2