

Replaces John Deere 8700 Reel Mower

Parts *Cutting Unit - Serial up to 020000 Rear Rollers*





| R | e R Pa | eplaces John Dee arts atting Unit - Serial up to C ar Rollers | ere 8700 Reel Mower | | | | |
|-------|--|--|---|------------|-----------------|--|--|
| | R&R Part No. | OEM Part No. | Description | Qty Req | Orde Quantit | | |
| R&R I | Rear Rollers | | | | | | |
| 1 | RAET11263 | AET11263, AMT2967 | Roller - Smooth Tubular Steel | 1 | | | |
| | Tech Note: Cons bearings for ext | | iis heavy duty roller uses greasable tape | red | | | |
| 3 | R1203825 | | Roller - Fusion Smooth UHMW Polyethylene | 1 | | | |
| | Tech Note: Fusion Rollers combine the best features of our UHMW plastic rollers with a heavy- duty internal bearing system. Machined from solid UHMW plastic that prevents build-up of debris. This roller turns on precision stainless ball bear <click for="" more="" part#="">:</click> | | | | | | |
| 4 | RAET10111 | AET10111, AMT2876 | Roller - Smooth Tubular Steel | 1 | | | |
| | Tech Note: This | tubular steel roller uses greasal | ble "water-pump" style bearings.: | | | | |
| 5 | RAMT1442 | AMT1442, AMT2878 | Roller - Smooth Solid Steel | 1 | | | |
| | Tech Note: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.: | | | | | | |
| Overl | haul Kits | | | | | | |
| 20 | RAET10632 | AET10632 | Overhaul Kit - Roller | 1 | | | |
| | Tech Note: Includes 4 ea: RET15755 Seal; 2 ea: R237-54 O-Ring, R253-122 Seal, R254-78 Bearing, R254-79 Cup, R3296-15 Locknut, R471219 Grease Zerk, RET15726 Sleeve, RET15756 Seal: | | | | | | |
| 22 | R114-5430 | | Overhaul Kit - Roller | 1 | | | |
| | | des 4 ea.: R112-7494 Seals; 2 eo ings & R114-3745 Locknuts: | a.: R302-5 Grease Zerks, R114-3717 Seal | ls, | | | |
| Othe | r Parts Available | 2 | | | | | |
| 31 | R237-54 | U46731, U6731 | O-Ring - Small | 2 | | | |
| | | | | 2 | | | |

Replaces John Deere 8700 Reel Mower

Parts

Cutting Unit - Serial up to 020000 Rear Rollers



| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|-----------------|---------------|------------|-------------------|
| 33 | R254-79 | JD8226 | Cup - Bearing | 2 | |

Tech Note: Use R254-79M installation mandrel to properly install race.:

| | | | · · | |
|----|----------------------------|-----------------------------------|--|------|
| 34 | R3296-15 | N101345 | Locknut - 3/4-16 Nylon Jam | 2 |
| 35 | R471219 | 471219, JD7759, JD7798 | Zerk - Grease | 2 |
| 36 | RET15726 | ET15726, RET15726 | Sleeve - Wear Hardened | 2 |
| 37 | RET15755 | ET15755 | Seal - Oil | 4 |
| 38 | RET15756 | ET15756, MT1739, MT739 | Seal | 2 |
| 38 | R253-122 | 253-122 | Seal | 2 |
| 39 | RAA35741 | AA35741, AET10129, TCA22836 | Bearing | 2 |
| | Tech Note: 1/4" Side Hole: | | | |
| 40 | RET17515 | ET17515 | Shaft - Roller | 1 |
| 41 | R302-5 | JD7797, JD7842, JD7844 | Fitting - Grease | 2 |
| 42 | RBM17684 | BM17684 | Scraper Kit - Solid Roller SET/5 | 1 |
| | | | 93 Nut; 5 ea: R34M7010 Pin, R500571 ng, RET17757 Pin, RMT2595 Scraper Blo | ade: |

| 47 R34M7010 | 34M7010 | Pin - Spring | 5 |
|--------------------|---------|---------------------|---|
| 48 R500534 | | Bearing - with Cup | 2 |
| 50 RET17629 | ET17629 | Spring - Torsion LH | 5 |

Replaces John Deere 8700 Reel Mower Parts



Cutting Unit - Serial up to 020000 Rear Rollers



| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|---------------------|-------------------------------|------------|-------------------|
| 51 | RET17757 | ET11757, ET17757 | Pin - Scraper | 5 | |
| 52 | R14M7303 | 14M7303 | Nut - 6mm x 1.0 Flanged | 20 | |
| 53 | R03M7221 | 03M7221 | Bolt - Carriage M6 x 16 | 20 | |
| 54 | RET17630 | ET17630 | Spring - Torsion RH | 5 | |
| 55 | R500571 | MT2369 | Bar - Scraper | 5 | |
| 62 | RMT2595 | MT2595, MT2895 | Scraper Blade - Solid Roller | 5 | |
| 63 | R1203821 | | Shaft - Fusion Roller | 1 | |
| 64 | R3010210 | | Seal - Roller | 2 | |
| 65 | R112-5290 | | Bearing - Stainless | 2 | |
| 66 | R112-7494 | | Seal | 4 | |
| 67 | R114-3745 | | Locknut - Bearing - Stainless | 2 | |